

S
14.GS:
RPI 137
c. 2

STATE OF ILLINOIS
DWIGHT H. GREEN, *Governor*
DEPARTMENT OF REGISTRATION AND EDUCATION
FRANK G. THOMPSON, *Director*

DIVISION OF THE
STATE GEOLOGICAL SURVEY
M. M. LEIGHTON, *Chief*
URBANA

REPORT OF INVESTIGATIONS—NO. 137

VISCOSITY STUDIES OF SYSTEM
 $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$: II, $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$

BY
J. S. MACHIN AND TIN BOO YEE

REPRINTED FROM JOURNAL OF THE AMERICAN CERAMIC SOCIETY,
Vol. 31, No. 7, pp. 200-204, 1948



PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

URBANA, ILLINOIS

1948

LIBRARY

ENVIRONMENTAL PROTECTION AGENCY

STATE OF ILLINOIS

SPRINGFIELD, ILLINOIS

ORGANIZATION

STATE OF ILLINOIS

HON. DWIGHT H. GREEN, *Governor*

DEPARTMENT OF REGISTRATION AND EDUCATION

HON. FRANK G. THOMPSON, *Director*

BOARD OF NATURAL RESOURCES AND CONSERVATION

HON. FRANK G. THOMPSON, *Chairman*

W. H. NEWHOUSE, PH.D., *Geology*

ROGER ADAMS, PH.D., D.Sc., *Chemistry*

LOUIS R. HOWSON, C.E., *Engineering*

A. E. EMERSON, PH.D., *Biology*

LEWIS H. TIFFANY, PH.D., *Forestry*

GEORGE D. STODDARD, PH.D., LITT.D., LL.D., L.H.D.
President of the University of Illinois

GEOLOGICAL SURVEY DIVISION

M. M. LEIGHTON, PH.D., *Chief*

SCIENTIFIC AND TECHNICAL STAFF OF THE STATE GEOLOGICAL SURVEY DIVISION

100 Natural Resources Building, Urbana

M. M. LEIGHTON, PH.D., *Chief*
ENID TOWNLEY, M.S., *Assistant to the Chief*

VELDA A. MILLARD, *Junior Asst. to the Chief*
HELEN E. McMORRIS, *Secretary to the Chief*
BERENICE REED, *Supervisory Technical Assistant*

ELIZABETH STEPHENS, B.S., *Geological Assistant*
ELIZABETH WRAY, A.A., *Technical Assistant*
NORMA J. PARGE, A.B., *Technical Assistant*

GEOLOGICAL RESOURCES

ARTHUR BEVAN, PH.D., D.Sc., *Principal Geologist*

Coal

G. H. CADY, PH.D., *Senior Geologist and Head*
R. J. HELFINSTINE, M.S., *Mechanical Engineer*
ROBERT M. KOSANKE, M.A., *Associate Geologist*
JOHN A. HARRISON, M.S., *Assistant Geologist*
JACK A. SIMON, M.S., *Assistant Geologist*
RAYMOND SIEVER, M.S., *Assistant Geologist*
MARY E. BARNES, M.S., *Assistant Geologist*
MARGARET PARKER, B.S., *Assistant Geologist*
KENNETH CLEGG, *Technical Assistant*

Oil and Gas

A. H. BELL, PH.D., *Geologist and Head*
FREDERICK SQUIRES, A.B., B.S., *Petroleum Engineer*
DAVID H. SWANN, PH.D., *Geologist*
VIRGINIA KLINE, PH.D., *Associate Geologist*
WAYNE F. MEENTS, *Assistant Geologist*
RICHARD J. CASSIN, B.S., *Assistant Geologist*
LESTER W. CLUTTER, B.S., *Research Assistant*
NANCY MCDURMITT, B.S., *Research Assistant*

Industrial Minerals

J. E. LAMAR, B.S., *Geologist and Head*
ROBERT M. GROGAN, PH.D., *Geologist*
RAYMOND S. SHRODE, B.S., *Assistant Geologist*

Clay Resources and Clay Mineral Technology

RALPH E. GRIM, PH.D., *Petrographer and Head*
WILLIAM A. WHITE, M.S., *Associate Geologist*
HERBERT D. GLASS, M.A., *Associate Geologist*

Groundwater Geology and Geophysical Exploration

CARL A. BAYS, PH.D., *Geologist and Engineer, and Head*
ROBERT R. STORM, A.B., *Associate Geologist*
MERLYN B. BUHLE, M.S., *Associate Geologist*
M. W. PULLEN, JR., M.S., *Associate Geologist*
RICHARD F. FISHER, M.S., *Assistant Geologist*
MARGARET J. CASTLE, *Assistant Geologic Draftsman*
ROBERT KNODLE, B.S., *Research Assistant*

Engineering Geology and Topographic Mapping

GEORGE E. EKBLAW, PH.D., *Geologist and Head*

Areal Geology and Paleontology

H. B. WILLMAN, PH.D., *Geologist and Head*
HEINZ A. LOWENSTAM, PH.D., *Geologist (on leave)*
J. S. TEMPLETON, PH.D., *Geologist*

Subsurface Geology

L. E. WORKMAN, M.S., *Geologist and Head*
ELWOOD ATHERTON, PH.D., *Associate Geologist*
PAUL HERBERT, JR., B.S., *Associate Geologist*
DONALD SAXBY, M.S., *Assistant Geologist*
ROBERT C. McDONALD, B.S., *Research Assistant*
LOIS TITUS, B.S., *Research Assistant*

Physics

R. J. PIERSOL, PH.D., *Physicist Emeritus*

Mineral Resource Records

VIVIAN GORDON, *Head*
HARRIET C. DANIELS, B.A., *Technical Assistant*
DOROTHY GORE, B.S., *Technical Assistant*
DOROTHY A. FOUTCH, *Technical Assistant*
ZORA M. KAMINSKY, B.E., *Technical Assistant*
ELENE ROBERTS, *Technical Assistant*

GEOCHEMISTRY

FRANK H. REED, PH.D., *Chief Chemist*
GRACE C. JOHNSON, B.S., *Research Assistant*

Coal

G. R. YOHE, PH.D., *Chemist and Head*
RUTH C. WILDMAN, M.S., *Assistant Chemist*
WM. F. LORANGER, B.A., *Research Assistant*

Industrial Minerals

J. S. MACHIN, PH.D., *Chemist and Head*
TIN BOO YEE, M.S., *Assistant Chemist*
PAULENE EKMAN, B.A., *Research Assistant*

Fluorspar

G. C. FINGER, PH.D., *Chemist and Head*
HORST G. SCHNEIDER, B.S., *Special Assistant Chemist*
WILLIAM FREDERICK BUTH, B.S., *Special Research Assistant*
RICHARD BLOUGH, B.A., *Research Assistant*
JAMES L. FINNERTY, B.S., *Special Research Assistant*

Chemical Engineering

H. W. JACKMAN, M.S.E., *Chemical Engineer and Head*
P. W. HENLINE, M.S., *Associate Chemical Engineer*
B. J. GREENWOOD, B.S., *Mechanical Engineer*
JAMES C. MCCULLOUGH, *Research Associate*

X-ray and Spectrography

W. F. BRADLEY, PH.D., *Chemist and Head*

Analytical Chemistry

O. W. REES, PH.D., *Chemist and Head*
L. D. MCVICKER, B.S., *Chemist*
HOWARD S. CLARK, A.B., *Associate Chemist*
EMILE D. PIERRON, M.S., *Assistant Chemist*
ELIZABETH BARTZ, A.B., *Research Assistant*
GLORIA J. GILKEY, B.S., *Research Assistant*
DONALD RUSSELL HILL, B.S., *Research Assistant*
RUTH E. KOSKI, B.S., *Research Assistant*
ANNABELLE G. ELLIOTT, B.S., *Technical Assistant*

MINERAL ECONOMICS

W. H. VOSKUIL, PH.D., *Mineral Economist*
W. L. BUSCH, *Research Associate*
NINA HAMRICK, A.M., *Assistant Mineral Economist*
ETHEL M. KING, *Research Assistant*

EDUCATIONAL EXTENSION

GILBERT O. RAASCH, PH.D., *Associate Geologist in Charge*
DOROTHY RANNEY, B.S., *Technical Assistant*

LIBRARY

ANNE E. KOVANDA, B.S., B.L.S., *Librarian*
RUBY D. FRISON, *Technical Assistant*

PUBLICATIONS


DOROTHY E. ROSE, B.S., *Technical Editor*
M. ELIZABETH STAARKS, B.S., *Assistant Editor*
MEREDITH M. CALKINS, *Geologic Draftsman*
ARDIS D. PYE, *Assistant Geologic Draftsman*
WAYNE W. NOFTZ, *Technical Assistant*
LESLIE D. VAUGHAN, *Associate Photographer*
BEULAH M. UNFER, *Technical Assistant*

Consultants: *Geology*, GEORGE W. WHITE, PH.D., *University of Illinois*
Ceramics, RALPH K. HURSH, B.S., *University of Illinois*
Mechanical Engineering, SEICHI KONZO, M.S., *University of Illinois*

Topographic Mapping in Cooperation with the United States Geological Survey.

This report is a contribution of the Industrial Minerals Division of the Geochemistry Section.

September 15, 1948



Digitized by the Internet Archive
in 2012 with funding from
University of Illinois Urbana-Champaign

VISCOSITY STUDIES OF SYSTEM $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$:

II, $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$

BY

J. S. MACHIN AND TIN BOO YEE

ABSTRACT

Viscosity data are presented covering those compositions in the $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ system which are liquid at 1500°C . The pattern of isokoms on the $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ face of the compositional tetrahedron which represents the $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$ system is a system of lines which roughly parallel the lines along which the lime content is constant. There are, however, considerable deviations from this parallelism in regions of very low and very high alumina content.

INTRODUCTION

The reasons for undertaking these studies were presented in the first paper of this series¹ where the apparatus and experimental techniques are described.

The field of compositions covered by the experiments on which the data presented in table I are based is roughly that bounded by the 1500°C . isotherm on the equilibrium diagram of the system $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ according to Schairer.² The compositional field investigated was covered at 5% intervals.

GRAPHIC TREATMENT OF VISCOSITY DATA

Values for the viscosity at points between the experimental points were obtained by interpolation in the following manner: The values for the viscosities of all compositions with a given silica content were plotted on a logarithmic scale as ordinates against the alumina content on a linear scale as abscissas. The curve was drawn through the points representing viscosities at the same temperature.

The process was repeated on separate plots, keeping other components constant and varying the silica. The compositions

corresponding to whole-number viscosities were read from the semilogarithmic curves and were plotted on the triaxial diagrams of figure 1. The best curve drawn through all of the points representing a constant viscosity at a given temperature was taken as the isokom (line of constant viscosity) for that temperature. Most of the plotted points lie within 0.2 compositional percent of the isokom. A few depart by as much as 0.5 or 0.6 compositional percent.

GENERAL TRENDS IN THE DATA

The isokoms are roughly parallel to the lines along which the molar acid-base ratios are constant. Alumina is considered to be acid in calculating this ratio. In the range of compositions under consideration the lines of constant lime composition are also roughly parallel to the constant acid-base ratio lines. The isokoms depart considerably from this parallelism in the region where the lime content is less than 25%.

The viscosity increases with increasing silica and with increasing alumina. The S-shaped isokoms show minimum change of viscosity with variation of alumina content near the ends. In the region of 60% and more silica, alumina appears to be less effective in increasing viscosity; this is also the case in the region of 40% and less silica. In the area between these limits the effect of alumina on the melt viscosity is nearly as great as that of silica.

¹J. S. Machin and D. L. Hanna, "Viscosity Studies of System $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$: I, 40% SiO_2 ," *J. Am. Ceram. Soc.*, 28 [11] 310-16 (1945); *Illinois State Geol. Survey Rept. Investigations*, No. 111 (1946).

²J. F. Schairer, "The System $\text{CaO-FeO-Al}_2\text{O}_3\text{-SiO}_2$: I, Results of Quenching Experiments on Five Joins," *J. Am. Ceram. Soc.*, 25 [10] 241-74 (June, 1942).

TABLE I.—VISCOSITY DATA
Lime-Magnesia-Alumina-Silica System (MgO = 0%)

Melt No.	Composition (wt. %)			Viscosity (poises) at °C.							
	SiO ₂	CaO	Al ₂ O ₃	1500	1450	1400	1350	1300	1250	1200	1150
1-146.5	30	35	35	10.2							
2-118R	35	45	20	4.96	7.60	13.6					
3-141	35	40	25	7.53	11.9	19.9					
4-144R	35	35	30	11.6	18.9	31.7					
5-146	35	30	35	19.0	31.4	54.7	109	248			
6-147	35	25	40	24.9	40.9						
7-5	40	50	10	4.01	5.23	8.33					
8-11	40	45	15	5.16	8.22	13.2	22.2	40.3	85.8		
9-17	40	40	20	8.32	13.7	21.5	35.1	67.6	148		
10-22	40	35	25	14.3	21.7	34.9	63.9	128	283		
11-25	40	30	30	27.1	39.5	69.4	129				
12-54	45	55	0	2.33							
13-60	45	50	5	3.41	4.80						
14-67	45	45	10	4.88	7.57	11.6					
15-73	45	40	15	8.54	12.5	19.4	33.1				
16-79	45	35	20	15.0	22.6	37.1	63.3	125	272	674	
17-90	45	30	25	26.3	41.0	70.1	132				
18-96	45	25	30	70.5							
19-131	50	45	5	4.78							
20-126R	50	40	10	8.23	12.1	19.2					
21-121R	50	35	15	14.3	21.9	34.7	57.1	105	209	469	1,250
22-117R	50	30	20	30.2	42.3	70.9	125	247	529		
23-140	50	25	25	57.7	99.8						
24-130	55	40	5	8.40	12.8						
25-125	55	35	10	15.1	22.3	35.7	60.8	117			
26-120	55	30	15	28.6	44.8	73.2	121	225	456	1,080	2,780
27-116	55	25	20	61.5	98.7	171	309	580	1,200	2,870	7,950
28-139	55	20	25	173	317	660					
29-134	60	40	0	9.23							
30-129	60	35	5	17.1	25.0	39.4					
31-124	60	30	10	32.6	51.7	81.6	126	220	421	990	2,520
32-119	60	25	15	77.7	128	214	391	730	1,560	3,730	10,600
33-115	60	20	20	204	353	663	1,260	2,530	5,750	14,700	
34-138	60	15	25	621	1220	2,500					
35-133	65	35	0	22.7							
36-128	65	30	5	42.2	69.9						
37-123	65	25	10	94.6	152	256	460	854	1,780	4,160	11,100
38-114R	65	20	15	311	574	1,040	1,960	4,500			
39-113	65	15	20	940	1590	3,210	6,440	14,700	31,200		
40-112	65	10	25	1900	3960						
41-123½	70	20	10	361	600	1,070					
42-114½	70	15	15	1320	2390	4,690	9,870	22,200	56,700	163,000	
43-113½	70	10	20	3950	8270	18,200	46,200	128,000			

DISCUSSION OF RESULTS

If alumina asserts its amphoteric character by behaving more and more as a basic component, as the acidity of the melt is increased by mounting silica, it might be expected that the isokoms in the high-silica region would bend in the direction opposite to that in which they actually do bend. In other words, alumina acting as a base would tend to reduce the number of oxygen bridges which bind silicon atoms together and so reduce the viscosity. In the low-silica region the bending of the isokoms is the more pronounced the greater the alumina content, and for the most part the bending is in the direction that might be expected if a part of the alumina were acting as a base, i.e., the viscosity is reduced. It appears, therefore, that the departure of the isokoms from straight lines in the high-silica region is probably not due to alumina playing a basic role. In the low-silica region this departure may be due to some such cause.

The lines along which R (the ratio of shared to unshared oxygen atoms¹) is constant intersect the isokoms at various angles ranging from 5° to more than 30° at points near the center of the isokoms. The angle is much greater near the ends of the S-shaped isokoms. This indicates that the simple theory proposed in the first paper of this series is insufficient.

Huggins² has proposed a semiquantitative treatment based on thermodynamic calculations involving the energies of activation of breaking and making of silicon oxygen bonds in the chains and networks of atoms which are commonly considered to be the structural units of glass. At high temperatures the supply of thermal energy available is sufficient so that many units absorb enough to exceed that required to activate the break process; the structure, therefore, is continually changing within each small region. The viscosity is determined largely by the energy barriers which must be surmounted as the position of each small region is changed relative to neighboring regions.

These energy barriers must be made up of at least two types: (1) mechanical resistance or friction related to the size and configuration of the atom complexes which are the discrete units of the molten glass and (2) electrical potential energy barriers due to the charges which these complexes bear.

The system under consideration is further complicated by the fact that, in addition to silicon atoms, which are known to be capable of forming networks with the aid of oxygen bridges, it contains aluminum atoms which probably have the same capability, although in less degree.



Sun⁴ has recently calculated the "bond strengths" of glass components. The viscosity of a melt is presumably largely determined by the proportion and size of large chainlike or network charged complexes present. In glasses these chains or networks are usually considered to be aggregates of positive atoms of valence greater than two, held together by oxygen atoms that are held in common by two of the positive atoms, e.g., silicon and aluminum. The strength of the bond between the oxygen and the positive atom might be expected to influence to a considerable degree the relative numbers of aggregates of various sizes present in the molten glass at a given temperature and hence also affect the viscosity. Sun's values for the energies of the oxygen-silicon and the oxygen-aluminum bonds are 106 and 79 (kilocalories per single Avogadro bond), respectively, for compounds containing both silicon and aluminum in addition to another metal, assuming that the coordination numbers of both silicon and aluminum are four. This seems to be a reasonable assumption since the compositional field under consideration is in large part identical with the crystallization fields of anorthite and gehlenite and includes the fields of no other aluminum silicates. The coordination number of aluminum has been reported to be four in both these compounds.⁵ If the coordination number of aluminum is six,



⁴K.-H. Sun, "Fundamental Condition of Glass Formation," *J. Am. Ceram. Soc.*, **30** [9] 277-81 (1947).

⁵(a) W. H. Taylor, J. A. Darbyshire, and H. Strunz, "An X-Ray Investigation of the Feldspars," *Z. Krist.*, **87** [6] 464-98 (1934); *Ceram. Abstracts*, **14** [4] 100 (1935).

(b) B. E. Warren, "The Structure of Melilite," *Z. Krist.*, **74** [2] 131-38 (1930); *Ceram. Abstracts*, **9** [11] 973 (1930).

¹M. L. Huggins, "The Vitreous State: Some Semiquantitative Considerations," *J. Phys. Chem.*, **47**, 502-11 (1943); *Ceram. Abstracts*, **23** [6] 113 (1944).





the bond energy would drop to 53 for the oxygen-aluminum bond.

Calculation of the average bond energies (using Sun's figures) for compositions having the same silica content but varying alumina contents gives higher average bond energies for the lower alumina compositions than for the higher alumina compositions. The viscosity variation is in the reverse sense, indicating that the bond energy is not the unique critical factor in viscosity.

Figure 1 is comparable to figures 4 and 9 in a paper by McCaffery *et al.*⁶ The pattern of the isokoms in figure 1 is much simpler than that of McCaffery. In some regions of composition the agreement is quite good; in others there is definite disagreement. The disagreement is most pronounced in those regions which are contiguous to the 1500°

and the 1400° C. isotherms. In this study no evidence was found of the closed curves which McCaffery presents on either his 1500° diagram or his 1400° diagram.

It will be noted that McCaffery's 1500° and his 1400° diagrams cover considerably larger compositional areas than those presented here. This is not surprising in the case of the 1500° diagram because McCaffery started at 1600°C. It is not so apparent, however, why his melts should have undercooled over a considerable area of the 1400° diagram, which in this investigation showed definite evidence of crystallization or even complete solidification.

SUMMARY

The viscosities of compositions in the system $\text{CaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ which can be melted at 1500°C. and at lower temperatures have been measured. The data are presented in tabular and also in graphic form.

⁶R. S. McCaffery, J. F. Oesterle, and O. O. Fritsche, "Effect of Magnesia on Slag Viscosity" in "Viscosity of Blast-Furnace Slags," *Amer. Inst. Mining Met. Engrs. Tech. Pub.*, No. 383, 55-68 (1931); *Ceram. Abstracts*, 10 [6] 460 (1931).

LIBRARY
ENVIRONMENTAL PROTECTION AGENCY
STATE OF ILLINOIS
SPRINGFIELD, ILLINOIS